

Klauber & Jackson  
Attorneys At Law  
Continental Plaza  
411 Hackensack Avenue  
Hackensack, New Jersey 07601

FAX RECEIVED

FEB 06 2001

GROUP 1600

TELEPHONE: (201) 487-5800

TO: Examiner M. Pham - Art Unit 1641  
FROM: Stephen Gigante  
DATE: February 5, 2001  
PAGES TO FOLLOW: 16

THE FIRM'S FACSIMILE TRANSMITTERS:

(201) 343-1684  
(201) 343-7544

Re: APPLICANT: James Richard Jackson  
SERIAL NO.: 09/381,561  
FILED: September 17, 1999  
For: Recording Assay Device

MESSAGE:

Please deliver this Facsimile Response to Examiner Pham in Art Unit 1641.

Examiner Pham's telephone number is 703-305-1444.

*Enclosed Associate Power of Attorney  
Req for Extension of Time  
Amendment AFTER FINAL Rejection*

File No. 2426-1-001Fax Tel. No. 703-308-4242

If you have any questions regarding compatibility, you may reach us at (201) 487-5800.

NOTE: The information contained in this facsimile message is attorney-client privileged and contains confidential information intended only for the use of the individual named above and others who have been specifically authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone (201-487-5800) and return the original transmission to us by mail without making a copy.

OFFICIAL

#12/C  
2/23/01  
~~NOT ENTERED~~

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: James Richard Jackson ART UNIT: 1641  
SERIAL NO.: 09/381,561 EXAMINER: M. Pham  
FILED: September 17, 1999  
FOR: RECORDING ASSAY DEVICE

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being transmitted via facsimile to the ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231 on February 5, 2001.

Stephen Gigante, Reg. No. 42,576  
(Name of Registered Representative)

Steph Gigante 2/5/01  
(Signature and Date)

~~DO NOT ENTER~~ (MP)

AMENDMENT AFTER FINAL REJECTION

Box AF  
Assistant Commissioner for Patents  
Washington, DC 20231

Dear Sir:

In response to the Final Rejection dated October 4, 2000, the Applicant hereby petitions for a one month extension of time and requests amendment of the above-identified application as follows:

IN THE CLAIMS:

Please amend the claims as follows:

C1  
20. (Amended) An assessment device comprising an assay part adapted to undertake an assay wherein said assay part comprises: at least one sample application well in fluid connection with